Eco. Env. & Cons. 23 (February Suppl.) : 2017; pp. (S313-S320) Copyright@ EM International ISSN 0971–765X

Identification of traditional rice varieties in Chhattisgarh: An institutional arrangement

A.P. Dwivedi^{1*}, Prem Chand², Anupam Mishra³, S.R.K. Singh⁴ and Tushar Athare⁵

ICAR-Agricultural Technology Application Research Institute, Zone VII, Jabalpur 482 004, M.P., India

(Received 14 October, 2016; accepted 13 December, 2016)

ABSTRACT

Farmers over generations developed different varieties and land races for different agro-climatic and socio-economic conditions. A wealth of varieties of indigenous rice as a source of unexplored gene pool occurs naturally. These varieties have great scope for climate change adoption. However, there has also been tremendous loss of traditional knowledge associated with traditional agro-ecosystems and production practices. The present study developed as institutional arrangement for identification, collection of climate resilient rice varieties for conservation. Total 14 district of Chhattisgarh states falling under tribal forest region or biodiversity rich especially in rice genetic material were selected for the programme. Institutional arrangement, capacity building and awareness programme for different stakeholders were at different levels organized during the period 2013 to 2015. Results of the study indicated that the different climate resilient characteristics of the identified varieties were low water requirement, short duration, early maturity, resistance to different biotic stress like pest and diseases etc. The major climate resilient varieties found were *Chudi Dhan, Turia Kabri, Lal Dhan, Lal Chudi Dhan, Gudma Dhan, Tulsighati, Jondra-Dagd,* etc. The study also suggests policy implications for identification, conservation and multiplication of seed of such varieties for making long term benefits of these materials to the farming community in climate resilience in the region.

Key word: Climate resilient, Traditional knowledge, Medicinal value, Nutrient rich, Tribal ecosystem

Rice is the staple food of over half of the world's population and 90% of Asians. Also, it has extensive curative properties known from the ancient days. Chhattisgarh, the newly formed state of India, has been considered a rice bowl of the country. Agriculture in Chhattisgarh is subsistence agriculture. Foodgrains are grown in 88.37 percent of the net sown area. Among foodgrains grown, rice is the major crop that is grown on 39.91 lakh hectares and covers 77 percent of the net sown area. Traditional farmers were cultivating approximately 19,000 rice varieties. Chhattisgarh is traditionally known as the Rice Bowl of India and over 20,000 rice varieties

have been recorded in the region. These are a result of centuries of rice farming by indigenous communities through selection and adaptation to a variety of soil, water and micro-ecosystems conditions including predators. Farmers over generations developed different varieties and land races for different geo - climatic and socio- economic conditions. A wealth of varieties of indigenous rice as a source of unexplored gene pool occurs naturally. Established traditional knowledge systems of self-healing and nutrition that are based on knowledge of the Bio-wealth, is a unique feature of various communities of Chhattisgarh. Though these local varieties

^{*}Corresponding author's e-mail: E-mail- aditya_pdf@rediffmail.com

¹Senior Scientist (Agronomy), ²Scientist (Ag. Economics), ³Director, ICAR-ATARI, ⁴Principal Scientist (Ag. Extension), ⁵Scientist (Ag. Extension)

and land races of rice are under tremendous pressure of globalization, traditional farmers still grow countless local varieties of rice. Today these varieties are being lost with market forces promoting so called high yielding varieties and synthetic fertilizer and pesticide-based agriculture that focuses only on yield, as well as the general but incorrect perception of traditional varieties as low yielding. There has also been tremendous loss of traditional knowledge associated with traditional agro-ecosystems and production practices. Indigenous and traditional agricultural communities throughout the world depend on, and are custodians of, agro-biodiversity maintained within agricultural landscapes through various forms of traditional resource management. These communities are coping with an increasing number of interlocking stresses that result from different aspects of global change, including the problems related to population increase, insecure and changing land ownership, environmental degradation, market failures and market globalization, and protectionist and inappropriate policyregimes and climate change.

Climate change presents a major concern, often interacting with or exacerbating existing problems. It makes new demands for adaptation and coping strategies, and presents new challenges for the management of the environment and agroecosystems. Indigenous and traditional agricultural communities are adapting to change and are developing ways of strengthening the resilience of agricultural landscapes through various local strategies based on the protection of traditional knowledge and agrobiodiversity. The approaches being adopted include the use of centuries' old traditional practices (e.g. the forest management of indigenous Hani people of Yunnan province in China, and 3000 years old Cajete terraces and the associated agricultural system in Mexico) and their adaptation to changing conditions, as well as the development and adoption of new approaches. Keeping the above background in view, the study was conducted in the state of Chhattisgarh with the objective to conserve the rice genetic materials with specific characteristics. The subsequent matter & description gives the methodology.

Methodology

The data were collected through semi-structured interview schedule and the specific characteristics such as duration, colour, drought resisistant charac-

teristics, abiotic and biotic stresses, medicinal values, grain colour and size etc. were recorded. The informations were also correlated to each others. All the recorded characters based on farmers and tribal communities long time experiences. The characteristics of all the collected varieties have been recorded with name of respective varieties.

Selection of the district

Total 14 districts namely Balrampur, Bastar, Bijapur, Bilaspur, Dantewada, Dhamtari, Janjgir-Champa, Jashpur, Kanker, Kawardha, Korea, Narayanpur, Rajnandgaon, Surguja falling under tribal forest region or biodiversity rich specialy in rice genetic material were selected for the programme. To represent the true sampling, seven districts were selected among the districts having highest area under rice and remaining seven districts were selected from having lowest area under rice. These districts jointly contribute more than of total rice area and 50 per cent of production of the state².

Institutional arrangement

Institutional arrangement, capacity building and awareness programmes for different stakeholders at different levels were organized during the period 2013-14 to 2015-16. At first level, three trainings were organized for Subject Matter Specialists of the Krishi Vigyan Kendras. The major aspects of the trainings were provisions under farmers' rights act, process of identification of varieties, application process, etc. At second level, awareness programmes were organized by the trained subject matter specialists for farmers. Total 20 awareness programmes were organized in the state during the period of study. At third level, exhibition cum fares were organized and process of identification of characteristics of varieties, maintenance of genetic material and filling of application for registration the processs of application was explained. Programmes were jointly organized by ICAR-Agricultural Technology Application Research Institute (ATARI), Zone-VII, Jabalpur, Madhya Pradesh and Protection of Plant Varieties and Farmers Right Authority (PPV&FRA), New Delhi.

Results and Discussion

More than 120 collected traditional rice varieties were analysed by selected KVKs. The traditional collected rice varieties from the study were

DWIVEDI ET AL S315

categorised on the basis of their suitability under different agro-climatic and farming situations like duration, climate resilient characteristics such as water logging resistence, drought resistance, resisistance to different biotic and abiotic stresses, fragerence, size and colour of the grains, medicinal properties etc. Based on duration, varieties collected were classified as very short duration (<60 days), short duration (60-80 days), medium duration (80-100 days), long duration (100-120 days), very long duration (>120days) in nature. By and large, the short duration varieties were found to drought resistence as these varieties can escape later stages of drought. The similar correlation of varieties with drought tolerance was was reported by earlier studies^{3, 4, 5, 6, 7}. The analysis of varieties based on duration reveals that the varieties suitable for upland condition are short to medium duration have low yield potential, red in colour having good iron content. These varieties are also suitable for drought condition. Grain size are medium to bold. Drought resistant varieties are also low duration, low water requirement, multiple insect-pest and disease resistant in nature, having high mineral content and low fertilizer requirement. Some of the varieties like-Ramdin, Sathiya, Chhinmohri, Kalazeera, Raghunath, Devardhan shows drought tolerance characteristics which can be important from climate change adaptation point of view. The resistence to different abiotic stresses were also reported in earlier similar studies8, 9, 10, 11, 12. Short duration varieties are suitable for upland condition having drought resistant in nature having low yield potential. Scented rice varieties are medium to long duration, low fertilizer requirement, grains are fine in texture, medium to high yield potential. Varieties suitable for water logging conditions are medium to long duration in nature having medium to high yield potential, suitable for low land condition. Traditional varieties such as Sausari Dhan, Tulsighati, Matko Dhan, Dandras, Painbudi, Saldhenti, Bhursi Dhan, Gadakhuta Dhan can be grown in 30-35cm water standing condition.

Some of the varieties like *Deshi Barsa Bhog*, *Gangabaru*, *Lkma Benzo*, *Kheerasar*, *Davardhan*, *Gadakhutia* were also considered to be resistance to insect infestation by the farmers. Varieties suitable for biotic stress conditions are suitable for upland, water requirement is very less, low fertilizer requirement. The varieties having medicinal value are drought resistant, insect-pest resistant having high

mineral, protein and vitamins content^{13, 14, 15}. The study found that the yield potential though the traditional varieties was tend to be low but it should still continue to cultivate these varieties as traditional are low risk prone

Conclusion

Chhattisgarh, the newly formed state of India, has been considered as a rice bowl of the country. By and large, the short duration varieties were found to drought resistence as these varieties can escape later stages of drought. The varieties suitable for upland condition are short to medium duration have low yield potential, red in colour having good iron content. Drought resistant varieties are also low duration, low water requirement, multiple insect-pest and disease resistant in nature, having high mineral content and low fertilizer requirement. Short duration varieties are suitable for upland condition having drought resistant in nature having low yield potential. Scented rice varieties are medium to long duration, low fertilizer requirement, grains are fine in texture, medium to high yield potential. Varieties suitable for water logging conditions are medium to long duration in nature having medium to high yield potential, suitable for low land condition. Traditional varieties such as; Sausari dhan, Tulsighati, Matkodhan, Dandras, Painbudi, Saldhenti, Bhursi dhan, Gadakhuta dhan can be grown in 30-35cm. water standing condition. Some of the varieties like Deshi Barsa Bhog, Gangabaru, Ikma Benzo, Kheerasar, Davardhan, Gadakhutia were also considered to be resistance to insect infestation by the farmers. Varieties suitable for biotic stress conditions are suitable for upland, water requirement is very less, low fertilizer requirement. The varieties having medicinal value are drought resistant, insect-pest resistant having high mineral, protein and vitamins content. Studies concluded that, the state has lot of biodiversity among rice trational farmers varieties having diversified and desired characters suitable for different agro-climatic conditions and climatic aberrations. The study found that the yield potential though the traditional varieties was tend to be low but it should still continue to cultivate these varieties as traditional are low risk prone. Farmers prefers the traditional rice varieties for different farming situations and agroclimatic conditions because of these varieties have lot of diversity, tolerant against biotic and abiotic stresses, easy to agronomic prac-

Table 1. List of traditional farmer's rice varieties collected

S. No.	Name of variety	Duration	Characterstics	S. No.	Name of variety	Duration	Characterstics
Unla	and Condition						
1	Bhakva dhan	+	Drought resistant, Disease resistant, Grain-Medium & Bold	4	Bhatha masuri	++++	Suitable for upland
2	Hinga dhan	++++	Drought resistant, Disease resistant, Grain-Fine	5	Dawar	+++	Suitable for upland
3	Mandar kotiyan	+++	Drought resistant, Disease resistant, Grain-Fine				
Droi	ıght Resistant						
1	Ramdi	++++	Disease resistant, Insect resistant, need less fertilizers	7	Chivari	+	Grain- Scented
2	Chhinmohri	++++	Mild grain	8	Davardhan	+	Insect resistant, High Mineral Content
3	Kalazeera	++++	Mild grain	9	Sathiya	+	Insect resistant, High Mineral Content
4	Kadamful	++++	Mild grain	10	Deshi Safari	+	Insect resistant
5	Bansbira Dhan	+++	Disease resistant, Grain-Medium	11	Kadamfool	+	Insect resistant, Grain- Scented
5	Raghunath	+	Drough resistant	12	Deshi Gurmatiya	+	Insect resistant
Shor	t and Medium Dura	ation Variet	ies				
1	Paradhan	++	Coarse grain	23	MachariPoti	+++	Colour-Red, Grain- Medium
&							C 1
2	Bagi dhan	++	Tall variety	24	DongarKabri	+++	Scented Colour-Light Red Grain-Coarse
3	Tulsi ghati	+++	Colour- Blackish, suitable for low land, medium slender, Scented rice	25	Raiykera	+++	Colour- Red, Grain-Coarse
4	Gudma dhan	++	Colour-black, Yield-High	26	Вауо	+++	Colour- Red, Grain-Coarse
5	Marhan dhan	++	Colour-black & redish, suitable for upland, Grain-Bold	27	khutbhudi	+++	Colour-Light Red Grain-Coarse
6	Ikma benzo	+++	Insect pest, Suitable for upland, medium slender, water requirement is very	28	Bhodi	+++	Grain-Coarse
7	Koliha puchhi	++	less, good in test Colour-Redish, Yield- 35 q/ha.	29	BhavrGedi	+++	Grain-Coarse
3	Janghara	++	Colour-white, Yield-40 q/ha., Grain-Medium bold	30	Bhodi-2	+++	Colour-Light Red Grain-Coarse
9	Nerasingo	+++	Colour- husk brown, 1000 grains weight- 21 gm, Grain-bold	31	Dhangdikajar	++	Colour- Red, Grain- Coarse & Scented
10	Lechhe Itwari Dhan	++	Grain- Coarse	32	Dumarphool Dhan	+++	Colour-Redish, Disease resistant Best for flour

DWIVEDI ET AL S317

 $\textbf{Table 1.} \ \textit{Continued} \ ...$

S. No.	Name of variety	Duration	Characterstics	S. No.	Name of variety	Duration	Characterstics
11	Budhlal Dhan	+++	Colour-Red	33	Bansbira Dhan	+++	Drought and disease resistant,
12	Bobaye bhuta	+++	Colour-Red	34	Bodela Dhan	+++	Grain-Medium Colour-Light brown, Grain-
13	Falod Dhan	+++	Grain- Coarse	35	Kabari Dhan	+++	Coarse Colour-Redish, Stem thick and suitable for
14	Machhli Kata Dhan	+++	Grain- Coarse	36	Chivari	+	upland Drought resistant, Grain- Scented
15	Singar Dhan	+++	Colour-Red	37	Karhanni	++	Yield- 18-20 q/ha Grain-Medium
16	Santosh Lal Dhan	+++	Colour-Red	38	Jonra	++	Suitable for upland, Grain- Small & bold
17	Ghudma Dhan	++	Colour-black, Yield-High	39	Morgo	++	Suitable for upland, Grain- Small & bold
18	Para	++	Colour-light red, Grain-Coarse	e 40	Bhata Cudi	++	Grain-Broad & long
19	Bhakva	+++	Grain-Coarse	41	Bhakva dhan	+	Drought and disease resistant, Suitable for upland, Grain- Medium & bold
20	Satka-1	++	Colour-Red, Grain-Coarse	42	Mandar kotiyan	+++	Drought resistant, Disease resistant, Suitable for upland, Grain-Fine
21	Satka-2	++	Colour-Light Red, Grain-Coarse	43	Narpati	+++	suitable for upland, Yield-20 25 q/ha., Grain- Short
22	JondraNadgi	+++	Colour-Red, Grain-Coarse				Onort
Scent 1	ted Rice varieties Runiyakali	+++++	Yield- 18-20 q/ha, Grain- Short, Thin	8	Kudai phool	+++++	Yield-High, Grain-Broad
2	Heera Moti	++++	Colour- Yellowish red, Yield- 30-35 q/ha.	9	Ronje Phool	++++	Yield-High, Grain- Very Fine
3	Gangabaru	+++++	Grain-Very fine	10	Kanak Baas	+++++	Yield-35 q/ha.,
4	Rakhiya Dhan	++++	Yield-High, Grain-Fine	11	Jeera fool	+++++	Grain-Fine Yield-30-35
5	Shyam Dhan	++++	Colour- Yellowish red, Yield-High, Grain-Fine	12	Chhota safari	++++	q/ha., Grain-Fine Yield-30 q/ha., Grain-Fine
6 7	Prasad Dhan Kunjam	+++	Colour-Brown, Yield-High Yield-High, Grain-Fine	13 14	Rajpuri Jeera Birhauli	+++++	Yield-30 q/ha. Yield-20-25 q/ha
Suita	ble for Water Loggi	ng Conditio					
1	Tulsi ghati	+++	Colour-Blackish, Grain- medium slender, Scented	7	Saldhenti	+++++	Yield-20-22 q/ha Grain-Large & long

 $\textbf{Table 1.} \ \textit{Continued} \ ...$

S. No.	Name of variety	Duration	Characterstics	S. No.	Name of variety	Duration	Characterstics
2	Sugandha	+++	Insect pest, Grain-Bold & scented	8	Bhursi dhan	++++	Disease resistant Grain-Medium
3	Sausari dhan	+++	Grain- medium bold slender	9	Kamka gatin	++++	Disease resistant Yield-High, Grain-Bold
4	Matko dhan	+++	Grain- medium slender, early maturity	10	Kunjik Dhaan	++++	Colour- Blackish Disease resistant Grain-Coarse
5	Dandras	+++++	Yield-50-55 q/ha., Grain-Large	11	Gadakhuta dhan	++++	Colour- Blackish Disease resistant Grain-Coarse
6	Painbudi	+++++	Colour-Red, Yield-40-45 q/ha Grain-Large	١,			
Suita	ble for biotic stress	es : Disease	Resistant				
1	Ramdi	++++	Insect resistant, need less fertilizers	10	Bhakva dhan	+++	Grain -Coarse
2	Jeeraphool	++++	Yield- 23-26 q/ha., Grain-Long & Thin	11	Bhursi dhan	++++	Drought resistant Suitable for low land, Grain- Medium
3	Narmada karhani	++++	Insect resistant	12	Hinga dhan	++++	Suitable for upland, Grain- Fine
4	Kheerasar	++++	Insect resistant	13	Kamka gatin	++++	Drought resistan Suitable for low land, Yield-High Grain-Bold
5	Runiapak	+++++	Insect resistant	14	Mandar kotiyan	+++	Drought resistant Suitable for upland, Grain- Fine
6	Dumarphool Dhan	+++	Colour-Redish, Best for flour	15	Kunjik Dhaan	++++	Drought resistan Colour- Blackish Suitable for low land, Grain- Coarse
7	Bansbira Dhan	+++	Disease resistant, Grain-Medium	16	Gadakhuta dhan	++++	Colour- Blackish Suitable for low land, Grain- Coarse
8	Bodela Dhan	+++	Colour-Light brown, Grain-Coarse	17	Donger Manki	++++	Disease resistant
9	Alaknanda	++++	Colour-light yellow, Grain-Bold				
Suita	ble for biotic stresse	es : Insect R	esistant				
1	Assam chudi	+++++	Insect and disease resistance	10	Jeeraphool	+++++	Yield- 23-26 q/ha Grain-Long & Thin
2	Rajabako	+++++	Colour-Yellowish	11	Narmada karhani	++++	Disease resistant
3	Lal Dhan	+++	Suitable for upland, grain medium slender, very low water requirement good in test	12	Kheerasar	++++	Disease resistant

DWIVEDI ET AL S319

Table 1. Continued ...

S. No.	Name of variety	Duration	Characterstics	S. No.	Name of variety	Duration	Characterstics
4	Lal chudi dhan	+++	suitable for upland, water requirement is very less	13	Runiapak	++++	Disease resistant
5	Ganga baru	+++	Grain- medium slender, Scented rice	14	Davardhan	+	Drought resistant, High Mineral Content
6	Sugandha	+++	suitable for low land, Grain-Bold & scented	15	Kadamfool	+	Drought resistant, Grain-Scented
7	Deshi Barsa bhog	+++	Colour-Red, suitable for low land, Grain-Bold	16	Deshi Gurmatiya	+	Drought resistant, Insect resistant
8	Ikma benzo	+++	suitable for low land, Grain- medium slender, water requirement is very less, good in test	17	Gada Khutia	+	Insect resistant
9	Ramdi	++++	Disease resistant, need less fertilizers				
Med	icinal Value						
1	Mehar	++++	Colour-Light red, Grain-Coarse	4	Sathiya	+	Drought resistant, Insect resistant,
2	Kantamehar	++++	Colour- red, Grain-Coarse	5	Karahani	++++	Disease resistant, Insect resistant
3	Davardhan	+	Drought and insect resistant, rich in mineral, protein and vitamins				

Dination Denotes

< 60 days - + , 60-80 days - ++, 80-100 days- +++, 100-120 days- ++++, >120 days- +

tices. These varieties are very friendly with festival and cultural events of local tribal peoples. There is a need to make a common plate form for conserving these farmers traditional rice varieties by policy makers, researchers, extension peronnels. Emphasis should be given to start new crop improvement programme for upgradation and make the provision for these varieties comes under seed chain as per the situations of agro-climatic condition and climatic aberrations. Participatory research on integration of traditional rice varieties with high yielding popularvarieties should be emphasized. Decentrialization of community research institute should be established in these biodiversity hot spot where traditional rice varieties are existing. There should also be fix a royalty to farmers and farming community, those who are conserving these traditional rice varieties. This will be helpful to our farmers, farming community and consumers also.

Acknowledgement

The authors are thankful to Programme Coordinators and Scientists of the Krishi Vigyan Kendra of

Chattishgarh state. The village authority and Farmers of Chattishgarh are gratefully acknowledge for providing needful information on traditional rice varieties. Authors sincerely thanks to Prof. R. R. Hanchinal, Chairperson, PPFRA, New Delhi for his kind support to launching the programme.

References

Agnihotri, R.K. and Palni, L.M.S. 2007. On-farm conservation of landraces of rice (*Oryza sativa L.*) through cultivation in the Kumaon Region of Indian Central Himalaya. *J Mountain Sci.* 4 (4): 354-360.

Chunta, S., Prathepha, P., Thina and Jongdee, B. 2014. Nuances of traditional knowledge in utilization of rice landraces by a farming community in North-Eastern Thailand. *Indian J Tradit Knowle*. 13 (3): 473-483.

Das, H.P. 2013. Traditional practices by farmers to improve agricultural production – Indian experience.. *Internal Society for Agricultural Meteo*. Available at http://www.agrometeorology.org/topics/new-information-for-agrometeorologists/traditional-practices-by-farmers-to-improve-agricultural-production-2013-indian-experience.

- Das, T. and Das, A.K. 2014. Inventory of the traditional rice varieties in farming system of southern Assam: A case study. *Indian J Tradit Knowle*. 13 (1): 157-163.
- Government of Chhattisgarh *Area, Production & Productivity of Kharif crops,* Department of Agriculture, Government of Chhattisgarh. (2013) Available at http://agridept.cg.gov.in/index.htm
- Hanamarratti, N.G., Prashanthi, S.K., Salimath, P.M., Hanchinal, R.R., Mohankumar, H.D., Parameshwarappa, K.G. and Raikar, S.D. 2008. Traditional land races of rice in Karnataka: Reservoirs of valuable traits, *Curr Sci.* 94 : 242-247.
- Morton, J.F. 2007. The impact of climate change on smallholder and subsistence agriculture. Proceedings of the National Academy of Science USA 104: 19680-19685.
- Rahman, S., Sharma, M.P. and Sahai, S. 2006. Nutritional and medicinal values of some indigenous rice varieties. *Indian J Tradit Knowle*. 5 (4): 454-458.
- Ranjay, K.S. and Dwivedi, B.S. 2002. Utilization of Location-specific Indigenous Paddy Varieties for Sustainable Production: A Tribal Wisdom, *Asian Agri-History*. 6(3): 261-267.
- Ranjay, K.S., Dwivedi, B.S. and Tiwari, R. 2010. Learning

- and testing the farmers' knowledge: Conservation of location specific indigenous paddy varieties, *Indian J Tradit Knowle.* 9 (2): 361-365.
- Rao, V.R. 2012. Valuation of Plant Genetic Resources. *Indian J of Plant Genetic Resources*. 25(1): 63-74.
- Rizwana and Lyaqet, 2011. Traditional knowledge used in paddy cultivation in Raipur district, Chhattisgarh, *Indian J Tradit Knowle*. 10 (2): 384-385.
- Sathya, A. 2014. The Art of Naming Traditional Rice Varieties and Landraces by Ancient Tamils, Asian Agri-History. 18 (1): 5–21.
- Sinha, H. and Xaxa, M. 2014. Traditional varieties of paddy in Jharkhand and conservation priorities. *Jharkhad J* of Social Devel, 1(2): 1-13.
- Usha, R., Lakshmi, M., Gomathy, G., Parimala, C. and Raja, R. 2012. Quality analysis of indigenous organic Asian Indian rice variety- Salem samba, *Indian J Tradit Knowle*. 11(1): 114-122.
- Venkatesan, P., Sundaramari, M. and Venkattakumar, R. 2016. Adoption of indigenous paddy cultivation practices by tribal farmers of Tamil Nadu, *Indian J Tradit Knowle*. 15(1): 154-161.
- Zeven, A.C. 1998. Landraces: A review of definations and classification. *Euphytica*. 104: 127-139.