

## Chapter 5

### By-catch reduction devices in trawling

**Madhu V.R. and Paras Nath Jha**

*madhucift@gmail.com and parasincof@gmail.com*

Fishing technology Division

ICAR-Central Institute of fisheries Technology,

Matsyapuri P.O., Cochin - 682 029

The 20<sup>th</sup> century had seen an increase in the fishing capacity, in terms of the number of vessels, the increase in size of the vessels and advances in the electronic and navigational equipment coupled with easily manufactured and durable fishing nets. The effect of these innovations sequentially, was the burgeoning in the fish production, plateauing of catches and the myth of inexhaustibility of fishery resources in the sea was proven wrong. A large number of stocks world over have declined and the status of many of the stocks now are alarming, but still the trend towards larger, more powerful and faster vessels continues.

Global fisheries production has reached a plateau and is now hovering around 80 million tonnes during the last decade. It is also noted that the status of world's marine fish stocks have not improved overall. About 31.4% of assessed fish stocks are fished at a biologically unsustainable level and therefore overfished. Fully fished stocks accounted for 58.1% and underfished stocks 10.5%. It is evident that most of the stocks are fully fished with no further potential for increase in production.

The importance of reducing bycatch and minimizing ecological impacts of fishing operations has been emphasized by scientists and fishery managers and recognized by fishermen. Trawl fisheries in different parts of the world are now being required to use bycatch reduction devices as result of pressure from conservation groups and legal regimes introduced by the governments. The Code of Conduct for Responsible Fisheries (FAO, 1995), which gives guidelines for sustainable development of fisheries, stresses the need for developing selective fishing gears in order to conserve resources, protect non-targeted resources and endangered species. Although the problems of using non-legal gears often with smaller mesh sizes and designs that are not appropriate for the region, most of the problems due to generation of bycatch and damage to the ecosystem function, has been implicated due to the use of trawls.

#### **Bycatch from harvesting systems**

The term bycatch refers to the non-targeted species retained, sold or discarded for any reason (Alverson et al., 1994). Target catch is the

species that is primarily sought after in the fishery and incidental catches is the retained catch of non-targeted species and the discarded catch is that portion of the catch that is returned to the sea due to economic, legal or personal considerations. Global bycatch by the world's marine fishing fleets was estimated at 28.7 million t in 1994, of which 27.0 million t (range: 17.9-39.5 million t) were discarded annually and shrimp trawling alone accounted for 9.5 million t (35%) of discards annually (Alverson et al., 1994). In 1998, FAO estimated a global discard level of 20 million t (FAO, 1999a). Average annual global discards, has been re-estimated to be 7.3 million t, based on a weighted discard rate of 8%, during 1992-2001 period (Kelleher, 2004). Davies et al. (2009) redefined bycatch as the catch that is either unused or unmanaged and re-estimated it at 38.5 million tonnes, forming 40.4% of global marine catches.

Globally, shrimp trawling contributes to the highest level of discard/catch ratios of any fisheries, ranging from about 3:1 to 15:1, and the amount of bycatch varies in relation to target species, seasons and areas (EJF, 2003). Trawl fisheries for shrimp and demersal finfish account for over 50% of the total estimated global discards. Globally, estimated discards increased from under 5 million t/year in the early 1950s to a peak of 18.8 million t in 1989, and gradually declined thereafter to levels of the late 1950s of less than 10 million t/year (Zeller et al., 2017).

The reduction in bycatch discards globally, in recent years could be attributed to (i) increased use of bycatch reduction technologies, (ii) anti-discard regulations and improved enforcement of regulatory measures, and (iii) increased bycatch utilization for human consumption or as animal feed, due to improved processing technologies and expanding market opportunities.

Also equally important as the issue of bycatch is the un-quantified impacts of different fishing systems on the ecosystem. The ecosystem impacts of fishing are more for the active fishing gears like trawls. Trawl bycatch, in the tropics is constituted by high proportion of juveniles and sub-adults, particularly of commercially important fishes, which needs serious attention in development, optimization and adoption of bycatch reduction technologies (BRD).

FAO has brought out International guidelines on bycatch management and reduction of discards, in view of its importance in responsible fisheries (FAO, 2011). Life under water (14<sup>th</sup> Goal) among the Sustainable Development Goal (SDG) has different targets for sustainable use of fisheries resources.

## **Bycatch Reduction Devices**

Devices developed to reduce the capture of non-targeted species during trawling are collectively known as Bycatch Reduction Devices (BRDs). These devices have been developed taking into consideration variation in the size, and differential behaviour pattern of shrimp and other animals inside the net. Different types of bycatch reduction technologies have been developed in the fishing industry around the world (Prado, 1993; Brewer et al., 1998; 2006; Eayrs et al., 1997; Broadhurst, 2000; CIFT, 2007; Eayrs, 2007; Boopendranath, 2007; 2009; 2012; Boopendranath et al., 2008; 2010a; 2010b; Kennelly, 2007; Broeg, 2008; Boopendranath & Pravin, 2009; Pravin et al., 2011; Suuronen et al., 2012).

BRDs can be broadly classified into three categories based on the type of materials used for their construction, *viz.*, Soft BRDs, Hard BRDs, and Combination BRDs. Soft BRDs make use of soft materials like netting and rope frames for separating and excluding bycatch. Hard BRDs are those, which use hard or semi-flexible grids and structures for separating and excluding bycatch. Combination BRDs use more than one BRD, usually hard BRD in combination with soft BRD, integrated into a single system.

Use of BRDs is one of the widely used approaches to reduce bycatch in shrimp trawls. Some of the advantages in reducing the amount of unwanted bycatch caught in shrimp trawls by using BRDs are (i) Reduction in impact of trawling on non-targeted marine resources, (ii) Reduction in damage to shrimps due to absence of large animals in codend, (iii) Shorter sorting times, (iv) Longer tow times, and (v) Lower fuel costs due to reduced net drag (Boopendranath et al., 2008; Boopendranath & Pravin, 2009). The effects of BRD installation on total drag of the trawl system and hence on fuel consumption has been reported to be negligible (Boopendranath et al., 2008).

### **Soft Bycatch Reduction Devices**

The soft Bycatch Reduction Devices use soft structures made of netting and rope frames instead of rigid grids, prevalent in hard BRDs, for separating and excluding bycatch. Based on the structure and principles of operation they are classified into five categories *viz.*, (i) Escape windows, (ii) Radial Escapement Section without Funnel, (iii) Radial Escapement Section with Funnel, (iv) BRDs with differently shaped slits and (v) BRDs with guiding/separator panel. Soft BRDs have advantages such as ease of handling, low weight, simplicity in construction and low cost, compared to hard BRDs.

## **Hard Bycatch Reduction Devices TED**

Various designs of hard BRDs are in operation around the world which includes (i) Oval grids, oval shaped metallic grid with exit opening like Georgia-Jumper, Saunders grid, Thai Turtle Free Device (TTFD), Oregon grate, CIFT-TED, Seal Excluder Device and Halibut Excluder Grate; (ii) Slotted grid BRDs which provide slots for the passage of non-targeted organisms such as Hinged grid and Anthony Weedless; (iii) Bent grids in which grid bars and grid frame are bent at one end near the opening such as Juvenile and Trash Excluder Device (JTED), NAFTAED; (iv) Flat grid BRDs such as Nordmore grid, Wicks TED, Kelly-Girourard grid, and EX-it grid.

Fisheye BRD is considered as an important hard BRD around the world. There are several design variations of fisheye BRD such as Florida Fish Eye (FFE) used in the Southeast US Atlantic and in the Gulf of Mexico. Other designs in this categories are Snake-eye BRD used in North Carolina Bay, Fish slot, Sea eagle BRD and Popeye Fish excluder or Fishbox BRD.

Hard BRDs also include TEDs like NMFS hooped TED, Fixed angle TED and Cameron TED (Oravetz and Grant, 1986; Prado, 1993; Mitchell *et al.*, 1995; Talavera, 1997, Rogers *et al.*, 1997), Matagorda TED, Georgia-Jumper, Super Shooter, Anthony Weedless, Jones TED and Flounder TED (Talavera, 1997; Mitchell *et al.*, 1995; Dawson, 2000; Belcher *et al.*, 2001; CIFT, 2003) that are devices used for the conservation of Sea turtles.

## **Semi-flexible BRDs**

Semi-flexible BRDs made of semi-flexible or flexible materials such as polyethylene, polyamide and FRP are used in the North Sea brown shrimp fishery, Polyamide grid devices provided with hinges to facilitates operation from net drums have been used in the Danish experiments in the North Sea shrimp fishery and Polyamide-rubber grid design are used in Denmark.

## **BRDs with guiding or separator panel**

Guiding or separator panels are used to achieve separation of the bycatch by using differences in their behaviour or size. BRDs with guiding panels lead the fishes to escape openings, making use of the herding effect of the netting panels on finfishes. The shrimps are not subjected to herding effect and hence pass through the meshes towards the codend. BRDs with separator panels physically separate the catch according to the size, with the use of appropriate mesh size. Shrimps pass through the

panels to the codend while bycatch such as fishes and sea turtles are directed towards the exit opening Fig: (1).




Fig. 1 Separator panel BRDs

## BRDs in India

A number of BRDs have been developed and field tested in India. The BRDs evaluated include hard BRDs *viz.*, Rectangular Grid BRD, Oval Grid BRD, Fisheye BRD and Juvenile Bycatch Excluder cum Shrimp Sorting Device (JFE-SSD) and soft BRDs *viz.*, Radial Escapement Device (RED), Sieve net BRD, Separator Panel BRD and Bigeye BRD (Boopendranath et al., 2008). The efficacy of square mesh codends for selective fishing is widely reported and the selection parameters for a large number of fishes have been derived. The conceptual simplicity and the ease of installation of square mesh codends make its adoption much easier in the small scale fisheries. The mesh lumen (opening) of the diamond meshes tend to close during fishing due to various forces acting on the net, whereas the square meshes remain open and retain their shape, thus allowing non-targeted catch like small fish and juveniles to escape through the mesh openings. Studies using square mesh codends in India, have demonstrated the improvements in the selection properties. (Kunjipalu, 1994; Boopendranath and Pravin, 2005; Madhu et al., 2016).

## Conclusion

Studies using bycatch reduction devices have shown to reduce the incidence of bycatch in trawling considerably. Different BRD designs have been tried and the efficacy of a particular design depends on the composition of bycatch in the area. Experimental trials for optimization are needed before the designs are released for field trials among the fishers for adoption. A small loss in revenue, as a result of reduced bycatch is often negated when the overall future gain is considered in the fishery as a result of increase in the yield per recruit from the stock. Benefits like subsidies in the fishery can also be linked with the adoption of good practices in the trawl fishery.

Use of BRDs for resource conservation is one of the many strategies for sustainable harvest of the fishery resources. Adherence to the norms in the marine fisheries regulations acts, reduction of fishing effort (interms of capacity and size of the vessels and gear), spatial and temporal fishing

area restrictions and strict monitoring, control and surveillance are required for the gear based technical measures like BRDs to be effective.

### **Further reading**

- Alverson, D.L. and Hughes, S., 1996. Bycatch: from emotion to effective natural resource management. *Reviews in Fish Biology and Fisheries* 6, 443-462.
- Alverson, D.L., Freeberg, M. H., Murawski, S. A. and Pope, J.G., 1994. A Global assessment of fisheries bycatch and discards. *FAO Fish. Tech. Pap. No 339*. Rome, FAO, 233 p.
- Andrew, N.L and Pepperell, J.G., 1992. The bycatch of shrimp trawl fisheries. In: Barnes, M., Ansell A.D and Gibson, R. N., (Eds.). *Oceanography and Marine Biology Annual Review*, Vol. 30, 527-565.
- Andrew, N.L., Kennelly, S.J. and Broadhurst, M.K. 1993. An application of the Morrison soft TED to the offshore prawn fishery in New South Wales, Australia. *Fish. Res.* 16: pp 101-111.
- Anon., 2002a. Flexi grid beats problems, Tough grid fold on to net drum. *Fish. News Int.* 41(12), 1-12.
- Anon., 2004c. Popeye fish excluder. Queensland Government Department of Primary Industries and Fisheries. *Trawl fishery newsletter*. July 2004. No. 5.
- Brewer, D., Rawlison, N., Eayrs, S and Burrige, C. 1998. An assessment of bycatch reduction devices in tropical Australian prawn trawl fishery. *Fish. Res.* 36, 196-215.
- Broadhurst, M. K. and Kennelly, S.J., 1996. Effects of the circumference of codends and a new design of square mesh panel in reducing unwanted bycatch in the New South Wales oceanic prawn trawl fishery, Australia. *Fish. Res.* 27, 203-214.
- Broadhurst, M. K., 2000. Modifications to reduce bycatch in prawn trawls: A review and frame work for development. *Reviews in Fish Biology and Fisheries.* 10(1), 27-60.
- Burrage, D.D., 2004. Evaluation of the "Gulf Fisheye" Bycatch Reduction Device in the Northern Gulf Inshore Shrimp Fishery. *Gulf. Mex. Sci.* 22(1), 85-95.
- Chokesanguan, B., Ananpongsuk, S., Siriraksophon, S., Podapol, L., 2000. Study on Juvenile and Trash Excluder Devices (JTEDs) in Thailand, South East Asian Fisheries Development Center Training Department (SEAFDEC), Thailand, TD/RES/47, 8 p
- Chokesanguan, B., Theparoonrat, Y., Ananpongskuk, S., Siriraksophon, S., Podapol, L., Aosomboon, P. and Ahmad, A., 1996. The experiment on Turtle Excluders Devices (TEDs) for shrimp trawl nets in Thailand, SEAFDEC Technical Report TD/SP/19, 43 p.
- Clucas, I.J., 1997. Reduction of fish wastage-an introduction, In: Clucas, I.J and James, D.G., (Eds). Paper presented at the Technical Consultation on Reduction of Wastage in Fisheries, Tokyo, Japan, 28 October-1 November 1996. *FAO Fish. Rep. No. 547*, FAO, Rome.
- Dawson, P. and Boopendranath, M.R., 2001. CIFT-TED-construction, installation and operation, CIFT Technology Advisory series-5, CIFT, Cochin, 16 p.

- Dawson, P., 2000. Use of BRDs and TEDs in shrimp trawling. In: Advances in Harvest Technology. ICAR Winter School Manual, CIFT, Cochin, 424-433.
- Eayrs and Prado., 1998. Bycatch reduction devices show promise in the Persian Gulf. INFO FISH, Number 3/98, May/June, 62-66.
- Eayrs, S., 2004. Reducing turtle mortality in shrimp-trawl fisheries in Australia, Kuwait and Iran. Papers presented at the Expert Consultation on interactions between Sea turtles and Fisheries within an Ecosystem context, 9-12 March, 2004. FAO Fisheries Report no. 728, FAO, Rome, 238 p.
- FAO, 1995. Code of Conduct for Responsible Fisheries, FAO, Rome, 41p.
- FAO, 1996. Fishing operations, FAO Technical Guidelines for Responsible Fisheries 1, 26 p.
- Fuwa, S., Nakamura, J., Ebata, K., Kumazawa, T. and Hirayama., 2003. Flow distribution on a simple separator device for trawling, TREND. Fish. Sci. 69, 1169-1175.
- Gordon, A., 1991. The bycatch from Indian shrimp trawlers in the Bay of Bengal- Programme for its improved utilization. Working paper No. 68 Bay of Bengal Programme, Chennai.
- Hall, M. A., 1996. On bycatches. Rev. Fish. Biol. Fish 6, 319-352.
- Hall, M. A., Alverson, D.L. and Metuzals, K.I., 2000. Bycatch: Problems and Solutions, Marine Pollution Bulletin 41(1-6), 204-219
- Hameed, M. S. and Boopendranath, M. R., 2000. Modern Fishing Gear Technology, Daya Publishing House, Delhi, 186 p.
- Isaksen, B., Valdemarsen, J.W., Larson, R.B., Karlsen, L., 1992. Reduction of fish bycatch in shrimp trawl using a rigid separator grid in the aft belly. Fish. Res. 13, 335-352.
- Kelleher, K., 2004. Discards in the World's Marine Fisheries: An Update, FAO Fisheries Technical Paper. No. 470, FAO, Rome.
- Kunjipalu, K.K, Varghese, M.D., Nair, A.K.K., 1994b. Studies on square mesh codend in trawls-I studies with 30mm mesh size, Fish.technol.31(2): pp 112-117.
- Maartens, L., Gamst, K.A., Schneider, P.M., 2002. Size selection and release of juvenile monk fish *Lophius vomerinus* using rigid sorting grids. Fish. Res. 57, 75-88.
- Madhu, V.R., Remesan, M.P. and Meenakumari, B. 2016. Trawl Selectivity Estimates of *Thryssa dussumieri* (Valenciennes, 1848) in Square and Diamond Mesh Codends. Fishery Technology, 53 (2016): 105-109.
- Martin A. Halla, Dayton L. Alversonb, Kaija I. Metuzalsc (2000) By-Catch: Problems and Solutions Marine Pollution Bulletin Volume 41, Issues 1-6, , Pages 204-219.
- Mitchell, J.F., Watson, J.W., Daniel G. Foster, D.G., Taylor, R.E., 1995. The Turtle Excluder Device (TED): A Guide to better performance. NOAA Technical Memorandum NMFS-SEFSC-3-6, 35 p.
- Morris, B., 2001. Certification of bycatch reduction devices in North Carolina. Report to North Carolina Sea Grant, November 2001, Grant 99-FEG-33.

- Mounsey, R. P., Baulch, G.A. and Buckworth, R.C., 1995. Development of a trawl efficiency device (TED) for Australia's Northern Prawn Fisheries I, The AusTED Design. *Fish. Res.* 22, 99-105.
- NCDMF, 1997. Bycatch reduction device specifications, Proclamation SH-9-97. Department of Marine Fisheries, North Carolina ([www.ncfisheries.net/content/index.html](http://www.ncfisheries.net/content/index.html); accessed on 1.5.2008).
- Pillai, N. S., 1998. Bycatch Reduction Devices in shrimp trawling, *Fishing Chimes*. 18 (7), 45-47
- Polet, H., Coenjaerts, J. and Verschoore, R., 2004. Evaluation of the sieve net as a selectivity-improving device in the Belgian brown shrimp (*Crangon crangon*) fishery. *Fish. Res.* 69, 35-48.
- Raghunath, M. R. and Varghese, M. D. (Eds.), Symposium on Advances and Priorities in Fisheries Technology. Society of Fisheries Technologists (India), Cochin, 501-505.
- Ramirez, D.A., 2001. Modified trawl net for selective capture of shrimp using small boats in Baja California Sur, Mexico, INFOFISH Intl. no. 6/2001: pp 60-62.
- Rao, G. S., 1998. Bycatch and discards of shrimp trawlers in Visakhapatnam. In: Balachandran, K.K., Iyer, T. S. G., Madhavan, P., Joseph, J., Perigreen, P. A.,
- Robins, J.B. and McGilvray, J.G., 1999. The Aus TED-II, an improved trawl efficiency device II Commercial Performance. *Fish. Res.* 40, 29-41.
- Robins-Troeger, J.B., 1994. Evaluation of the Morrison soft turtle excluder device: prawn and bycatch variation in Moreton Bay, Queensland. *Fish. Res.* 19, 205-217.
- Rogers, D.R., Rogers, B.D., Desilva, J.A., Wright, V.L., and Watson, J.W., 1997. Evaluation of shrimp trawls equipped with bycatch reduction devices in inshore waters of Louisiana. *Fish. Res.* 33, 55-72.
- Steele, P., Bert, T.M., Johnston, K.H., Levett, S., 2002. Efficiency of bycatch reduction devices in small otter trawls used in the Florida shrimp fishery. *Fish. Bull.* 100, 338-350.
- Sukumaran, K.K., Telang, K.Y. and Thippeswamy, O., 1982. Trawl fishery of South Kanara with special reference to prawns and bycatches. *Mar. Fish. Inf. Ser. T& E. Ser.*, 1982, 44, 8-14.
- Talavera, R.V., 1997. Dispositivos excluidores de tortugas marinas, FAO Documento Technico de Pesca, No. 372, Roma, FAO, 116 p
- Watson, J.V. and Tailor, C.W., 1988. Research on selective shrimp trawl design for penaeid shrimp in the United States, FAO Expert Consultation on Selective Shrimp Trawl Development, 24-28, November, 1986, Georgetown, Guyana
- Zeller, D., Cashion, T., Palomares, M., Pauly, D. Global marine fisheries discards: A synthesis of reconstructed data. *Fish. Fish.* 2017;00:1-10. <https://doi.org/10.1111/faf.12233>